Mamiya

Press super 23 Universal Press

COMPACT MULTI-FORMAT CAMERAS, LENSES, AND ACCESSORIES



© 1975 BELL & HOWELL/MAMIYA COMPANY All Rights Reserved

ACCESSORY SHOE provides convenient mounting of optical viewfinders, shoe-type flash units, and other accessories.

BRILLIANT VIEWFINDER / RANGEFINDER has built-in bright frames for 100, 150, and 250mm lens coverage plus automatic parallax compensation. The superimposed-image rangefinder couples to ALL lenses automatically. Viewfinder masks or optical viewfinders supplied with all other lenses.

TRIGGER GRIP comes with the camera body, has cable release connection to trip the shutter. Accessory shoe is on top of grip. Hand strap provides added security.

BUILT-IN SHUTTERS come with each lens, have speeds from 1 second to 1/500 second plus B for time exposures. Full M-X synchronization for all types of flash. Shutters can be locked open for ground-glass viewing and focusing. Flash terminal is PC-type.

STRAP LUGS on each side of the camera accept the sturdy accessory neck strap. Helps provide hands-off camera carrying and keeps the camera ready for instant use.

BREECH-LOCK LENS MOUNT permits quick and easy changing of lenses. Rangefinder coupling is automatic when the lens is installed.

FLASH BRACKET holds adapters for Heiland/Honeywell and Graflex flash units.

INTERCHANGEABLE LENSES are available in eight focal lengths from 50mm to 250mm. All are rangefinder-coupled and have a helical focusing system. These Mamiya/sekor lenses have critical definition and superb color correction for outstanding picture quality. Lens hoods are included with all lenses except the 65 and 75mm.

INTERCHANGEABLE FILM HOLDERS are available in a variety of types including 120/220 holders for 6x4.5cm, 6x6cm, 6x7cm, and 6x9cm. Also available are holders for cut film and plates, film packs, and for Polaroid film packs.

INTERCHANGEABLE BACKS allow the use of Mamiya, Graflok®, and Polaroid film holders plus many other accessories.

BACK LOCK/RELEASE allows instant changing of backs for use of other backs and adapters.

PLUS-

- · Frame finder indicator · Rubber eyecup
- Viewfinder has frames for both 6x9cm and 6x7cm formats
 lenses have depth-of-field scales
 Tripod socket for horizontal pictures
- · Tripod socket adapter for vertical pictures
- Stabilizing plate and more!

the rangefinder camera with universal capability



Mamiya Universal Press 6x9cm Rangefinder Camera

This impressive multi-format rangefinder camera has a range of versatility that is almost beyond belief. Whatever the need or assignment, the Universal Press can be a fast-handling action camera or an efficient studio camera. The large selection of interchangeable lenses and accessories complement the camera's built-in capabilities. The extensive system provides negative formats from 6x4.5cm to 6x9cm, plus the ability to accept Polaroid® film packs. All lenses couple to the rangefinder system automatically, and the breech-lock lens mount permits quick lens changing. For outstanding performance and reliability, efficient handling, and extreme versatility, the Mamiya Universal Press does the job.

CAT. NO. 4123A

Mamiya Universal Press Camera Body Only with Grip and Cable Release (less lens and back)

a hand camera for action shots — a view camera with swings and tilts



Mamiya Press Super 23 6x9cm Rangefinder Camera

Here's a compact hand camera that combines advanced action features with view camera versatility—including back swings and tilts. Now a single camera can handle a wide variety of photographic assignments with precision and efficiency. The tilt-and-swing back is used for correcting perspective distortion and controlling depth-of-field. The large selection of interchangeable lenses and accessories, plus the ability to use different films and negative formats, round out the system. All lenses couple to the camera's rangefinder automatically and the breech-lock mounting system permits quick lens changing. For efficiency, reliability, and outstanding performance, the Press Super 23 comes through with flying colors.

CAT. NO. 4122A

Mamiya Press Super 23 Camera Body Only with Grip and Cable Release (less

- Factorial Property of the results of the superimposed image range finder couples to ALL lenses automatically. Viewfinder masks or optical viewfinders are supplied with all other lenses.
- BUILT-IN ACCESSORY SHOE provides convenient mounting of the sportsfinders, optical viewfinders, and other accessories.
- STRAP LUGS are located on each side of the camera body and accept the accessory neck strap for secure carrying.
- BUILT-IN SHUTTERS have speeds from 1 second to 1/500 second plus B for time exposures. Full M-X flash synchronization. Shutters can be locked open for ground-glass viewing and focusing. The flash terminal is the PC type.
- FLASH BRACKET on the side of the camera holds adapters for Heiland/Honeywell and Graflex flash units.
- TRIGGER GRIP is supplied with the camera body and has a cable release to trip the shutter. The grip has an accessory shoe mounted on the top. Hand strap included.
- INTERCHANGEABLE FILM HOLDERS allow the use of a variety of 120/220 films in 6x4.5cm, 6x6cm, 6x7cm, and 6x9cm formats. The camera back also accepts a focusing screen holder and cut film/plate holders and film pack adapters.
- as for the Universal Press and come in eight different focal lengths from 50mm to 250mm. All are rangefinder-coupled and have a helical focusing system. Lens hoods are included with all lenses except the 65mm and 75mm sizes.
- BREECH-LOCK LENS MOUNT permits fast lens changing and positive seating with automatic rangefinder coupling.
- TILT-AND-SWING BACK is used for correcting perspective distortion and controlling the depth-of-field. The back may be extended out to a maximum of 30mm and swings and tilts up to 15° in each direction. The back is controlled by knobs on each side of the camera body.

PLUS-

- · Rubber eyecup · Frame finder indicator
- Depth-of-field scales on all lenses Tripod sockets and adapters for both horizontal and vertical tripod mounting • Stabilizing plate
- · Lens retraction warning signal · and more!


INTERCHANGEABLE MAMIYA/SEKOR LENSES . . .

All press-series lenses have built-in shutters with speeds from 1 second to 1/500 second plus B for time exposures. Flash synchronization is possible at all shutter speeds.

NOTE: Minimum focusing distances shown are from subject to film plane.



50mm f/6.3 Wide-Angle Lens with Hood and Optical Viewfinder CAT. NO. 655902



Angle of View (6x9cm): 89.5°

Magnification (based on 100mm lens): .50X

Minimum Aperture: f/32

Minimum Focusing Distance: 3.3'

No. of Elements: 8 Filter Size: 72mm Weight: 610 grams



127mm f/4.7 Standard Lens with Hood and Viewfinder Mask CAT. NO. 655926



Angle of View (6x9cm): 43.5°

Magnification (based on 100mm lens): 1.27X

Minimum Aperture: f/64

Minimum Focusing Distance: 5'

No. of Elements: 4 Filter Size: 55mm Weight: 470 grams



65mm f/6.3 Wide-Anale Lens with Optical Viewfinder CAT. NO. 655907





Angle of View (6x9cm): 75.6° Magnification (based on 100mm lens): .65X Minimum Aperture: f/32

Minimum Focusing Distance: 3.5'

No. of Elements: 4 Filter Size: 43mm Weight: 350 grams




150mm f/5.6 Telephoto Lens with Hood CAT. NO. 655929

Angle of View (6x9cm): 37.2 Magnification (based on 100mm lens): 1.5X Minimum Aperture: f/45 Minimum Focusing Distance: 7'

No. of Elements: 4 Filter Size: 55mm Weight: 530 grams



75mm f/5.6 Wide-Angle Lens with Optical Viewfinder CAT. NO. 655913



Angle of View (6x9cm): 67.9°

Magnification (based on 100mm lens): .75X Minimum Aperture: f/45

Minimum Focusing Distance: 3.5'

No. of Elements: 7 Filter Size: 72mm Weight: 650 grams



250mm f/5.0 Telephoto Lens with Hood CAT. NO. 655932

Angle of View (6x9cm): 22.8° Magnification (based on 100mm lens): 2.5X Minimum Aperture: f/45 Minimum Focusing Distance: 8'

No. of Elements: 6 Filter Size: 105mm Weight: 1,825 grams



100mm f/3.5 Standard Lens with Hood CAT. NO. 655920

Angle of View (6x9cm): 53.5° Magnification (based on 100mm lens: 1X Minimum Aperture: f/32

Minimum Focusing Distance: 3.5'

No. of Elements: 4 Filter Size: 55mm Weight: 480 grams



LENS ACCESSORIES INCLUDE . . .

CAT. NO. 655276 Pouch Case for 50-150mm Lenses

Tetraphoto Adapter with Case CAT. NO. 656201*

(for 4 images on Polaroid film)

CAT. NO. 656200* **Duophoto Adapter** (for 2 images on Polaroid film)

CAT. NO. 656204 **Extension Ring Set** (#1, 2, 3, 4, 5)

CAT. NO. 656205 Extension Ring #5

Replacement hoods, optical viewfinders, and front and rear lens caps are also available.

*For the Mamiya Universal Press camera only.



100mm f/2.8 Standard Lens with Hood CAT. NO. 655923

Angle of View (6x9cm): 53.5° Magnification (based on 100mm lens): 1X

Minimum Aperture: f/32 Minimum Focusing Distance: 3.5'

No. of Elements: 6 Filter Size: 72mm Weight: 700 grams





INTERCHANGEABLE BACK AND FILM HOLDER SYSTEM...

CAT. NO. 656180	Roll Film Holder, Model 2 (6x9cm)
CAT. NO. 656181	Roll Film Holder, Model 2 (6x7cm)
CAT. NO. 656182	Roll Film Holder, Model K (6x9cm, 6x6cm, or 6x4.5cm)
CAT. NO. 656190	Cut Film/Plate Holder (6x9cm)
CAT. NO. 656192	Film Pack Adapter (6x9cm)
CAT. NO. 655321*	Polaroid Pack Film Holder Model 2
CAT. NO. 655322*	Polaroid Film Holder M80
CAT. NO. 656183	Focusing Screen Holder
CAT. NO. 656213	Focusing Hood
CAT. NO. 656185	Right-Angle Focusing Back
CAT. NO. 656184	Magnifying Focusing Back
CAT. NO. 656189*	Focusing Hood P (Polaroid back adapter)
CAT. NO. 656187*	Mamiya Back Adapter
CAT. NO. 656188*	Graflok Back Adapter (allows use of RB-type film holders)


Spare dark slides for all above film holders are also available.

*For the Mamiya Universal Press camera only.

VIEWFINDER ACCESSORIES INCLUDE . . .

CAT. NO. 656090*	Finder Mask for Polaroid
CAT. NO. 656210*	Format Gauge for Polaroid
CAT. NO. 656091	Viewfinder Mask for 127mm Lens (replacement)
CAT. NO. 656208	Rubber Eyecup for Universal and Super 23 (replacement)
CAT. NO. 656102	Eyepiece Correction Lens +1
CAT. NO. 656101	Eyepiece Correction Lens +2
CAT. NO. 656100	Eyepiece Correction Lens +3
CAT. NO. 656103	Eyepiece Correction Lens -0.5
CAT. NO. 656104	Eyepiece Correction Lens -1
CAT. NO. 656105	Eyepiece Correction Lens -2
CAT. NO. 656106	Eyepiece Correction Lens -3
CAT. NO. 656107	Eyepiece Correction Lens -4
CAT. NO. 656080	Sportsfinder with 6x9cm Frame (for 100, 150mm lenses)
CAT. NO. 656079	Sportsfinder with 6x7cm Frame (for 100, 150mm lenses)

*For the Mamiya Universal Press camera only.



CASES FOR CAMERA PROTECTION ...

CAT. NO. 656151

CAT. NO. 656153 Leather Compartment Carrying Case CAT. NO. 656150 Aluminum Custom Case with Insert

MISCELLANEOUS ACCESSORIES INCLUDE . . .

CAT. NO. 656203* Extension Back Set (1 and 2) CAT. NO. 656202* Life Size (1:1) Photocopying Set CAT. NO. 656032 **Front Body Cap** CAT. NO. 656212 **Quick Shoe** CAT. NO. 656209 **Tripod Adapter P** CAT. NO. 656206 Tripod Adapter (for vertical format camera mounting) CAT. NO. 656133 **Rotating Grip** Flashgun Bracket Type H (for Heiland/Honeywell units) CAT. NO. 656216 CAT. NO. 656215 Flashgun Bracket Type G (for Graflex units) CAT. NO. 656130 **Grip Holder with Cable Release** CAT. NO. 656131 Cable Release (replacement) CAT. NO. 655807 **Neck Strap** CAT. NO. 656132 Rotating Adapter for Tripod Mounting CAT. NO. 656220* **Mamiya Universal Press Camera Instruction Book** CAT. NO. 656221 Mamiya Press Super 23 Camera Instruction Book *For the Mamiya Universal Press camera only.

Replacement Foam Insert for Aluminum Case

BELL & HOWELL / MAMIYA COMPANY